


Adjustable central supports with screwing cam

SUPPORTS FOR WOOD AND GLASS SHELVES




L28.P0JJ.NAT
L28.P0JJ.NOX*
L28.P0JJ.LUX*

L28.F0JJ.NAT

L38.P0JJ.NAT*

L38.F0JJ.NAT*

SUPPORTS FOR WOOD SHELVES



L28.PJ1D.NAT
L28.PJ1S.NAT

L28.FJ1D.NAT
L28.FJ1S.NAT

L38.PJ1D.NAT*
L38.PJ1S.NAT*


L38.FJ1D.NAT*
L38.FJ1S.NAT*

L28.PJ3D.NAT
L28.PJ3S.NAT

L28.FJ3D.NAT
L28.FJ3S.NAT


L38.PJ3D.NAT*
L38.PJ3S.NAT*

L38.FJ3D.NAT*
L38.FJ3S.NAT*



INC.B36M.NKS with cam CAM.JJ12.GRE

HANGRAIL CRADLE for use with oval rod 36 x 18 (B36)



INC.B36M.CHL* (with LUX)
INC.B36M.NKL* (with NOX)
INC.B36M.NKS (with NAT)

CAM


Direct insertion.
Adjustment on
all uprights.



CAM.JJ12.GRE

SCREW NUT

Sliding insertion.
Adjustment on
all uprights.



DAQ.NE12.ZIN

HINGE for LMK

100



CRN.LMK1.NAT


Model	Length [mm]	Height [mm]	Load [kg]
L28.P0JJ	280	60	40 kg
L28.F0JJ	280	60	40 kg
L28.PJ1D L28.PJ1S	271	100	30 kg
L28.FJ1D L28.FJ1S	271	100	30 kg
L28.PJ3D L28.PJ3S	243	150	20 kg
L28.FJ3D L28.FJ3S	243	150	20 kg

Model	Length [mm]	Height [mm]	Load [kg]
L38.P0JJ	380	60	40 kg
L38.F0JJ	380	60	40 kg
L38.PJ1D L38.PJ1S	368	120	30 kg
L38.FJ1D L38.FJ1S	368	120	30 kg
L38.PJ3D L38.PJ3S	331	200	20 kg
L38.FJ3D L38.FJ3S	331	200	20 kg



FLOOR - WALL expansion COMPOSITIONS with CENTRAL accessories on CAM

'ALPHA WALL45' - realized with RMC and RMS





EQUIPPABLE GONDOLAS with CENTRAL accessories on CAM

'ALPHA GONDOLAS' - realized with RMC, RMS and/or RDC

