





BASES WITH THREADED FERRULE M8

L = length



Support plate for
SLK and SCK coverings


BAS.HCOP.ZIN



Ø 300-500

12

BST.D300.ARG*
BST.D350.ARG*
BST.D400.ARG*
BST.D450.ARG*
BST.D500.ARG*



PIE.AL10.LUX




BSP.CN65.ARG with PIE.AL08.NAT


FEET

Plastic
tilting foot
M8 and M10

UNSUITABLE
for ceiling-floor
application



Aluminium foot with
passing hole for wall
fixing - M8 and M10




THREADED FERRULES

Self-locking nuts
for foot blocking to
ceiling (without IFM)



Threaded
ferrules




Assembly tools
for threaded
ferrules



BSP.AS60.ARG with PIE.AL08.NAT


FLOOR - CEILING expansion COMPOSITIONS with CENTRAL accessories on CAM

'ALPHA EXPANDED' - realized with RMC and RMS




FLOOR - CEILING expansion COMPOSITIONS with CENTRAL accessories on SLOTTED PROFILE

'ALPHA HLE EXPANDED' - realized with RMC and RMS



FLOOR - CEILING expansion COMPOSITIONS with CENTRAL accessories on SLOTTED PROFILE


'BRAVO EXPANDED' - realized with RMS






FLOOR - CEILING expansion COMPOSITIONS, DIVIDING WALLS with accessories on SLOTTED PROFILE

'ROGER PARTITION' - realized with LMK






FLOOR - CEILING expansion COMPOSITIONS, DIVIDING WALLS with accessories on SLOTTED PROFILE



'ALPHA PARTITION' - realized with RMC, RMS and/or RDC



WMP.B360 - INU.LT36 - CAV.S1



DWA.DX08/SX08

