




Multi-function supports for frontal hangrail





TO3 - TO2 series - 280 / 380 mm, rod 30 x 15 mm

Fe
CHL
NKS
SAM



SO3 series - 380 mm, rod 30 x 15 mm

Fe
CHL
NKS
SAM




Shelf and frontal hangrail support:

TO3.038B or SO3.038B
with saddles **TOA.CAV2**
combined with **S36 series**



SO2 - inclined clothes hanger rail - rod 30 x 15 mm

Fe
CHL
NKS
SAM



IND series - notch sloping supports for clothes hanger

Fe
CHL
NKS
SAM
* OTT
* ZIN




LOADING CAPACITIES on PAGES 65-66


LOADING capacities



ABL
blocked
hangrail
page 45

Supports for hangrail (without shelves)	Model	Length [mm]	Height [mm]	Load Aluminium	Load Steel
 ABL.0315		315	103	60 kg	90 kg
 B36 (36x18) ABL.0076		76	65	50 kg	70 kg




APA
passing
hangrail
page 44

 APA.0330		330	100		80 kg
 B36 (36x18) APA.0175		175	70		80 kg
 APA.0110		110	60		80 kg
 APA.0068		68	66		100 kg
 APA.DX65 APA.SX65		47,5	60		40 kg

IND
page 43

 IND.2009		285	120		50 kg each
 IND.4011		285	260		70 kg each

S36
page 44

 S36.AR20		245	74		30 kg each
 S36.AR30		345	74		25 kg each
 S36.AR40		445	74		20 kg each
 S36.TP20		240	70		30 kg each
 S36.TP30		340	70		25 kg each
 S36.TP40		440	70		20 kg each
 S36.PB15		200	70		12 kg each
 S36.PB20		250	70		9 kg each
 S36.PB30		330	70		6 kg each
 S36.AN15		250	70		5 kg each
 S36.BIND		330	240		70 kg each



DMN
fixed
page 39

Fixed and inclined wing-shaped supports	Model	Length [mm]	Height [mm]	Load Aluminium	Load Steel
 DMN.SX29		290	75	60 kg	90 kg
 DMN.CS29		290	75	60 kg	90 kg
 DMN.CD29		290	75	60 kg	90 kg
 DMN.DX29		290	75	60 kg	90 kg

RCL
inclined
fixed
page 39

 RCL.DX35		270	190	40 kg	60 kg
 RCL.SX35					

DJA
adjustable
inclined
page 39

 DJA.CS27		318	100/315	70 kg	110 kg
 DJA.CD27		318	100/315	70 kg	110 kg

PFM
adjustable
inclined
page 39

 PFM.CN55		103	111		70 kg
 PFM.SX55		103	111		70 kg
 PFM.DX55		103	111		70 kg


PFT
adjustable
inclined
page 39

 PFT.CN55		103	111		70 kg
 PFT.SX55		103	111		70 kg
 PFT.DX55		103	111		70 kg




LOADING capacities


SKA
Shoe rack
page 56

Specific accessories	Model	Length [mm]	Height [mm]	Load Aluminium	Load Steel
 T12 (Ø12)	SKA.DX03 SKA.SX03 SKA.CN03	236	83	5 kg	


PAK
page 58

 55	PAK.DX PAK.SX	10 / 50	55		100 kg
--	------------------	---------	----	--	--------

PAT
page 58

 55	PAT.DX PAT.SX	10 / 50	55		100 kg
--	------------------	---------	----	--	--------


MFX
page 59

	MFX.DX96 MFX.SX96	11	140		100 kg
--	----------------------	----	-----	--	--------

GNC
page 63

	GNC.D302	45	56	10 kg each	20 kg each
---	----------	----	----	------------	------------

TAC
page 63


	TAC.L700	20	37	10 kg	20 kg each
	TAC.T700	24	15	10 kg	

Loading capacity evaluation for single element, on 4 resting points.

LOADING CAPACITY EVALUATION METHOD

The capacities indicated here refer to a couple of supports with saddles that undergo the following loading test:

- Assembly of 2 slotted profiles, perfectly parallel, suitably fixed at 60 cm distance from each other and fixed to the wall according to the instruction;
- fixing of 2 Fit Art supports to the slotted profiles at the equal height;
- assembly of 4 saddles, two for each support;
- positioning of a 70 cm length shelf on supports, equipped with saddles, with 5 cm overhang on each side (for saddles see pag. 35);
- positioning of the load centered on the shelf (the load is evenly distributed to simulate real application).



All other Fit Art supports without saddles need to be assembled according to the instruction procedure.

The capacities indicated in the load chart are the **half** of the breaking load.



For the couple of supports that exceed the limit of 200 kg, imposed during loading test, the value 100 kg is indicated.

The loading capacities of all Fit Art products result from the synergy between the manufacturing processes and the items shapes. The slavish reproduction of our products does not determine the same standards of hardness.