


OTHER COMPOSITIONS




'TAVOLO' - realized with RMS





EQUIPPABLE GONDOLAS with INTERNAL DIVIDING PANELS

'ISOLA' - realized with LMK



FLOOR - WALL COMPOSITIONS with CENTRAL accessories on SLOTTED PROFILE



'SQUARE WALL45'

LMK with SCK



'ONDA WALL45'

LMK with SLK






FLOOR - WALL expansion COMPOSITIONS with CENTRAL accessories on SLOTTED PROFILE

'BRAVO WALL45' - realized with RMS



'BRAVO WALL' - realized with RMS





FLOOR - WALL expansion COMPOSITIONS with CENTRAL accessories on SLOTTED PROFILE


'ALPHA HLE WALL45' - realized with RMC and RMS



HLE - TR5 - PR5.AT30



BSPAS36 - PIE.AL08







FLOOR - WALL expansion COMPOSITIONS with CENTRAL accessories on CAM

FIT
ART



'ALPHA WALL45' - realized with RMC and RMS



SELF STANDING SYSTEM



BASES WITH THREADED FERRULE M8

L = length



Support plate for
SLK and SCK coverings


BAS.HCOP.ZIN



Ø 300-500

12

BST.D300.ARG*
BST.D350.ARG*
BST.D400.ARG*
BST.D450.ARG*
BST.D500.ARG*



PIE.AL10.LUX




BSP.CN65.ARG with PIE.AL08.NAT


FEET

Plastic
tilting foot
M8 and M10

UNSUITABLE
for ceiling-floor
application



Aluminium foot with
passing hole for wall
fixing - M8 and M10




THREADED FERRULES

Self-locking nuts
for foot blocking to
ceiling (without IFM)



Threaded
ferrules



Assembly tools
for threaded
ferrules



BSP.AS60.ARG with PIE.AL08.NAT